

**CLAIM AMENDMENT**

Please amend the claims in accordance with the following listing.

**Listing of Claims:**

1. (Currently Amended) A method of managing time division duplexing across plural time division multiple access (TDMA) channels between a base station and a plurality of CPEs, comprising the step of:

synchronizing frames across the plural channels so that upstream frames and downstream frames coincide across the plural channels.

2. (Currently Amended) A method as in claim 1, further comprising the step of assigning one channel to each of plural ~~consumer-provided equipment~~, CPEs, wherein each ~~consumer-provided equipment~~ CPE receives media access protocol messages on its assigned channel.

3. (Currently Amended) A method as in claim 2, wherein a the base station controller generates the media access protocol messages, and wherein the media access protocol messages instruct the ~~consumer-provided equipment~~ CPEs to switch channels so as to receive data bursts.

4. (Currently Amended) A method as in claim 3, wherein the base station controller includes a centralized scheduler that allocates channels and slots in those channels to the ~~consumer-provided equipment~~ CPEs for receipt of the data bursts.

5. (Original) A method of receiving time division duplexed messages, comprising the step of:

switching channels based on received media access protocol messages so as to receive data bursts on plural channels.

6. (Currently Amended) A base station that manages time division duplexing across plural time division multiple access (TDMA) channels between the base station and a plurality of CPEs, comprising:

an input/output interface;

a transceiver; and

a controller that synchronizes frames across the plural channels so that upstream frames and downstream frames coincide across the plural channels.

7. (Currently Amended) A base station as in claim 6, wherein the controller further assigns one channel to each of ~~plural consumer provided equipment~~, CPE of the plurality of CPEs, wherein said each CPE ~~consumer provided equipment~~ receives media access protocol messages on its assigned channel.

8. (Currently Amended) A base station as in claim 7, wherein the controller generates the media access protocol messages, and wherein the media access protocol messages instruct said each CPE ~~the consumer provided equipment~~ to switch channels so as to receive data bursts.

9. (Currently Amended) A base station as in claim 8, wherein the controller further comprises a centralized scheduler that allocates channels and slots in those channels to the CPEs ~~consumer provided equipment~~ for receipt of the data bursts.

10. (Currently Amended) Consumer provided equipment ~~the~~ that receives time division duplexed messages transmitted by a base station using time division multiple access, comprising:  
a transceiver that can dynamically switch between plural channels; and  
a controller for controlling the transceiver, wherein based on received media access protocol messages, the consumer provided equipment switches channels so as to receive data bursts on plural channels.

11. (Currently Amended) A memory storing information including instructions, the instructions executable by a processor to manage time division duplexing across plural time division multiple access (TDMA) channels between a base station and a plurality of CPEs, the instructions comprising:

synchronizing frames across the plural channels so that upstream frames and downstream frames coincide across the plural channels.

12. (Currently Amended) A memory as in claim 11, wherein the instructions further comprise assigning one channel to each of plural CPEs, ~~consumer provided equipment~~, wherein each

~~consumer provided equipment~~ CPE receives media access protocol messages on its assigned channel.

13. (Currently Amended) A memory as in claim 12, wherein the instruction further comprise generating the media access protocol messages, and wherein the media access protocol messages instruct the ~~consumer provided equipment~~ CPE to switch channels so as to receive data bursts.

14. (Currently Amended) A memory as in claim 13, wherein the instructions further comprise allocating slots in the channels to the ~~consumer provided equipment~~ CPE for receipt of the data bursts.

15. (Original) A memory storing information including instructions, the instructions executable by a processor to receive time division duplexed messages, the instructions comprising:  
switching channels based on received media access protocol messages so as to receive data bursts on plural channels.

16. (Currently Amended) An apparatus for managing time division duplexing across plural time division multiple access (TDMA) channels between a base station and a plurality of CPEs, comprising:

means for synchronizing frames across the plural channels so that upstream frames and downstream frames coincide across the plural channels; and channels.

means for communicating the frames synchronized by the means for synchronizing between the base station and the plurality of CPEs.

17. (Currently Amended) An apparatus for receiving time division duplexed messages, comprising:

means for switching channels based on received media access protocol messages so as to receive data bursts on plural channels; and ~~channels.~~

means for receiving the data bursts.